goodrich

Goodrich Global

PREMIERWALL

EXPLORE

2023-2027

Wallcovering Fabric Backed Vinyl Type II



52 - 54" Fabric-Backed Contract Wallcovering

PHYSICAL PROPERTIES

Weight 20/21 oz. PLY Roll Size 52-54" x 30yds Backing Woven / Non-Woven

Meets or exceeds Federal Specification CCC-W-408A physical characteristics for Type II Wallcovering

FIRE SAFETY

- Class "A" Fire rated
- NFPA255 (UL723, CAN \$102M) Tunnel Test1
- NFPA 286 Corner Burn Test2
- Meets requirements for Flame Spread, Smoke Developed and Flashover
- UL Labelled and Listed

CLEANING/MAINTENANCE

Metallic finishes can be discolored with the use of caustic cleaners. Thus, we recommend only the use of a mild soap solution for cleaning these products. If stronger cleaning is required, first evaluate the cleaner in an inconspicuous location.

ANTI-MICROBIAL FEATURES

PREMIERWALL EXPLORE contain mildew and staph resistant additives in the vinyl and plastisol. This provides the wallcovering with resistance to the growth of mildew and bacteria, including mold, fungi, pink stain and black fungal stain.

BATCHING

Since slight variation in shading may occur time to time, it is important that the roll carrying the same batch number be used in any one area.

ORIGIN

USA





PE8001 LINDEN II Latte

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Straight Random

PE8002

LINDEN II Linen

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Straight Random

PE8003

LINDEN II Metal

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Straight Random

PE8004

52-54" x 30yds
Vinyl
Woven
20oz
Straight Random

PE8005

LINDEN II Coconut

52-54" x 30yds
Vinyl
Woven
20oz
Straight Random

PE8006

LINDEN II Pebble

2-54" x 30yds
inyl
/oven
Doz
raight Random

PE8007

52-54" x 30yds
Vinyl
Woven
20oz
Straight Random

PE8008

GILDED LINEN Summerset

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8009

GILDED LINEN Moonlight

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8010

GILDED LINEN White Linen

ROLL SIZE:	52-54″ x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8011GILDED LINEN Wager

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8012

GILDED LINEN Reverence

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

101 C 1725

PE8013

KIMONO II Brocade

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

STATE TANGER FILE STATE STATE

PE8014

KIMONO II China Silk

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8015

KIMONO II Stone

52-54" x 30yds
Vinyl
Woven
20oz
Reverse Random

THE REPORT OF A PARTY OF THE PA

· 是我们的你们,你们还是我们的我们,你们不是你的你的,我们就是你不是你的?"你们的你们的你们,你们就是你们的你的你的人们,你们的你们的你们,你们就不知道你的,我们们,你们们就是一个我们们们

AND DESCRIPTION OF A DE

PARTE 11115-

The state of the state of the state of the

A TALANT FREAK BALLETING

TITATION AND AND AND AND A TABLE AND AND A TABLES AND A

A second s

经济资料 一种 医静脉管 化作用

na de la constance de la const La constance de la constance de

An energy and a statement that a

PREMIERWALL EXPLORE

and a state of the second

ST SHEET 3 L

PE8016

KIMONO II Silver

ROLL SIZE:52-54" x 30ydsCOMPOSITION:VinylBACKING:WovenWEIGHT:20ozPATTERN MATCH:Reverse Random

and a source of the for the former of the state of a period

PREMIERWALL EXPLORE

PE8017

KIMONO II Gold

ROLL SIZE:52-54" x 30ydsCOMPOSITION:VinylBACKING:WovenWEIGHT:20ozPATTERN MATCH:Reverse Random

An Patrick

PE8018 THREADED Frost

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8019 THREADED Sand

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8020 THREADED Crème

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8021 THREADED Spa

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8022

THREADED Meditate

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random



EXPLORE

PREMIERWALL

PE8024 DECOWEAVE Cultivate

ROLL SIZE:52-54" x 30ydsCOMPOSITION:VinylBACKING:WovenWEIGHT:20ozPATTERN MATCH:Reverse Random



PE8025 DECOWEAVE Mohair

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8026

INSIGHT Purlesque

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random



PREMIERWALL

PE802 INSIGHT Dunes

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random



PE8028 INSIGHT Flaxen

ROLL SIZE:52-54" x 30ydsCOMPOSITION:VinylBACKING:WovenWEIGHT:20ozPATTERN MATCH:Reverse Random

PE8029

INSIGHT Shimmer

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random



PE8030

INSIGHT Cashmere

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8031

LINO White Wing

PE8032

LINO Frost

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8033

LINO Casual

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8034

LINO Stonewash

52-54" x 30yds
Vinyl
Woven
20oz
Reverse Random

PE8035

DESTINY Illusion

PE8036

DESTINY Mottled

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8037

DESTINY Enchanted

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8038

DESTINY Landscape

52-54" x 30yds
Vinyl
Woven
20oz
Reverse Random

PE8039

LUXE Silver Lining

52-54" x 30yds
Vinyl
Woven
21oz
Reverse Match

PE8040

DESERT SAND Silver Stone

52-54" x 30yds
Vinyl
Woven
20oz
Reverse Random

PE8041

LUXE Mirage

52-54" x 30yds
Vinyl
Woven
21oz
Reverse Match

PE8042

DESERT SAND Sand Crystal

52-54" x 30yds
Vinyl
Woven
20oz
Reverse Random



PE8043

LUXE Golden Gate

52-54" x 30yds
Vinyl
Woven
21oz
Reverse Match

PE8044

DESERT SAND Hidden Treasure

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8045

MARMORINO Nebbia

52-54" x 30yds			
Vinyl			
Non-woven			
20oz			
Straight Match			

PE8046

MARMORINO Avorio

ROLL SIZE:	52-54" x 30yds Vinyl			
COMPOSITION:				
BACKING:	Non-woven			
WEIGHT:	20oz			
PATTERN MATCH:	Straight Match			

PE8047 MARMORINO Neve

ROLL SIZE:	52-54" x 30yds Vinyl			
COMPOSITION:				
BACKING:	Non-woven			
WEIGHT:	20oz			
PATTERN MATCH:	Straight Match			

PE8048

WHITE CREEK Simply White

ROLL SIZE:	52-54" x 30yds
COMPOSITION:	Vinyl
BACKING:	Woven
WEIGHT:	20oz
PATTERN MATCH:	Reverse Random

PE8049 WHITE CREEK Prairie

52-54" x 30yds			
Vinyl			
Woven			
20oz			
Reverse Random			

PE8050 WHITE CREEK Slate

52-54″ x 30yds			
Vinyl			
Woven			
20oz			
Reverse Random			



DESERT SAND





PREMIERWALL EXPLORE INDEX

No I	Pattern No	Pattern Name	Weight (Oz)	Pattern Re Horizontal		Pattern Match	Backing	Roll Size
1	PE8001	LINDEN II Latte	20oz	0	0	Straight Random	Woven	52-54" x 30yds
2	PE8002	LINDEN II Linen	20oz	0	0	Straight Random	Woven	52-54" x 30yds
3	PE8003	LINDEN II Metal	20oz	0	0	Straight Random	Woven	52-54" x 30yds
4	PE8004	LINDEN II Flint	20oz	0	0	Straight Random	Woven	52-54" x 30yds
5	PE8005	LINDEN II Coconut	20oz	0	0	Straight Random	Woven	52-54" x 30yds
6	PE8006	LINDEN II Pebble	20oz	0	0	Straight Random	Woven	52-54" x 30yds
7	PE8007	LINDEN II Royal	20oz	0	0	Straight Random	Woven	52-54" x 30yds
8	PE8008	GILDED LINEN Summerset	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
9	PE8009	GILDED LINEN Moonlight	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
10	PE8010	GILDED LINEN White Linen	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
11	PE8011	GILDED LINEN Wager	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
12	PE8012	GILDED LINEN Reverence	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
13	PE8013	KIMONO II Brocade	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
14	PE8014	KIMONO II China Silk	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
15	PE8015	KIMONO II Stone	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
16	PE8016	KIMONO II Silver	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
17	PE8017	KIMONO II Gold	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
18	PE8018	THREADED Frost	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
19	PE8019	THREADED Sand	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
20	PE8020	THREADED Crème	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
21	PE8021	THREADED Spa	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
22	PE8022	THREADED Meditate	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
23	PE8023	DECOWEAVE Angora	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
24	PE8024	DECOWEAVE Cultivate	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
25	PE8025	DECOWEAVE Mohair	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
26	PE8026	INSIGHT Purlesque	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
27	PE8027	INSIGHT Dunes	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
28	PE8028	INSIGHT Flaxen	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
29	PE8029	INSIGHT Shimmer	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
30	PE8030	INSIGHT Cashmere	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
31	PE8031	LINO White Wing	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
32	PE8032	LINO Frost	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
33	PE8033	LINO Casual	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
34	PE8034	LINO Stonewash	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
35	PE8035	DESTINY Illusion	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
36	PE8036	DESTINY Mottled	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
37	PE8037	DESTINY Enchanted	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
38	PE8038	DESTINY Landscape	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
39	PE8039	LUXE Silver Lining	21oz	3.84	3.66	Reverse Match	Woven	52-54" x 30yds
40	PE8040	DESERT SAND Silver Stone	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
41	PE8041	LUXE Mirage	21oz	3.84	3.66	Reverse Match	Woven	52-54" x 30yds
42	PE8042	DESERT SAND Sand Crystal	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
43	PE8043	LUXE Golden Gate	21oz	3.84	3.66	Reverse Match	Woven	52-54" x 30yds
44	PE8044	DESERT SAND Hidden Treasure	20oz	0	0	Reverse Random	Woven	52-54" x 30yds
45	PE8045	MARMORINO Nebbia	20oz	53	24	Straight Match		52-54" x 30yds
46	PE8046	MARMORINO Avorio	20oz	53	24	Straight Match		52-54" x 30yds
47	PE8047	MARMORINO Neve	2002 2002	53	24	Straight Match		52-54" x 30yds
48	PE8048	WHITE CREEK Simply White	2002 2002	0	0	Reverse Random	Woven	52-54" x 30yds
49	PE8049	WHITE CREEK Prairie	2002 20oz	0	0	Reverse Random	Woven	52-54" x 30yds
50	PE8050	WHITE CREEK Slate	2002 200z	0	0	Reverse Random	Woven	52-54" x 30yds
	1 20000		2002				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	02 07 X 00 y 03

Installation and Maintenance Guidelines

BEFORE YOU BEGIN

Examine the material carefully to ensure that the pattern, colour, and quality are satisfactory and as ordered. Check that the quantity and dimensions match the required specifications, prior to cutting. In the event that any discrepancies are found, STOP and contact Goodrich Global before proceeding.

We recommend that the wall moisture content does not exceed 4% using a reputable moisture meter, and that active moisture infiltration, condensation, and/or accumulation - particularly in warm, humid climates - is not present. If walls show mould, mildew or visible moisture damage, or if moisture content exceeds recommendations, do not proceed with installation until the condition has been fully corrected under the direction of a qualified professional. Goodrich Global will not be responsible for any performance or quality issues if moisture problems are not addressed before or following installation.

HANGING GUIDELINES

Wallcovering rolls are numbered consecutively and should be cut and installed in reverse sequence, starting with the highest numbered roll. All strips should be hung in sequence as they are cut from the roll, using full widths of material, whenever possible. Install the wallcovering under permanent lighting conditions to evaluate colour and texture uniformity.

When hanging non-reversible or matching patterns, measure the wall height, allowing for pattern match, add 4", and table trim using a straight edge to ensure alignment across seams. Large, dominant pattern repeats require more careful planning as far as starting point, ceiling line, chair rails, door/window headers, etc. Patterns are meant to match at eye level and may run off slightly at the top and bottom of the wall. When hanging textured or random-match patterns, reverse hang alternate strips for a more uniform appearance; overlap and double cut, being careful not to score the wall. If the pattern effect is not acceptable after three strips are hung, re-hang strip #2 without reversing.

If any defect, colour variation, or unacceptable pattern effect is noticeable after three panels are cut and hung, STOP and contact Goodrich Global immediately. Goodrich Global cannot accept any claims on labour or material after more than three lengths have been installed.

ADHESIVE APPLICATION

Apply a uniform coat of a premixed vinyl wallcovering adhesive to the back of the material using a short-napped paint roller or stiff bristle brush (a pasting machine can be used at the installer's discretion). Goodrich WA202 adhesive is recommended for heavyweight vinyl wallcovering. Fold each sheet over and allow up to 10 minutes booking time for the adhesive to penetrate the backing of the lightweight vinyl material (up to 15 minutes for heavyweight vinyl), and to avoid paste drying at the edges.

Goodrich WA202 Wallcovering Adhesive :

- Specially formulated for all types of contract wallcoverings
- Non Hazardous, Non Toxic, Non Flammable, Non-Staining
- Solvent Free and Formaldehyde Free
- VOC is 0.45mg/kg
- Made in England



INSTALLATION

Hang the first strip to a plumb line, overlapping the ceiling and baseboard, within 12 minutes of paste application. Use a stiff bristle brush to ensure that the wallcovering makes contact with the wall. A plastic smoother can also be used on non-metallic Vinyls, providing only light pressure is applied (do not use sharp-edged tools). Smooth from the middle to the outside edges, being careful not to stretch the material, and work out all air bubbles. Trim at the ceiling and baseboard with a sharp razor blade. For matched patterns, butt the second strip to the edge of the first and smooth out firmly. When double cutting non-matching patterns, place a 2-3" wide strip behind the seam to avoid scoring the wall. Flatten seams exerting light pressure with a seam roller. Lowadhesive painter's tape can be used to keep the face of the seams clean. Before applying the next strip, trim the top and bottom as with the first panel, and proceed in the same manner around the room.

Avoid cutting narrow widths of material for placement above doors and below windows. Vertical joints should not occur less than six inches from inside or outside corners. When trimming at chair rails and ceilings, always use a broad knife rather than a straight edge. Take extra care in keeping the adhesive off the face of the wallcovering.

Remove excess adhesive immediately with a natural sponge, frequently rinsed in clear, warm water, and dry with a soft, lint free cloth. After installation, the walls and wallcovering should be monitored for potential moisture or vapour infiltration, which must be promptly eliminated.

MAINTENANCE

Most wallcovering is easily cleaned using clear, warm water and mild soap with a natural sponge. A soft cloth or towel should only be used to tamp dry (do not rub). Stubborn stains can be removed with a laundry spot remover or rubbing alcohol. Do not use solvent-based cleaning agents, lacquer thinners, nail polish remover, pine oil, or cleaning agents containing bleach, which may cause discoloration over time.

Note: The above is intended only as a guideline. Wallcovering installations must conform to current hanging instructions included with each shipment. The installer has final responsibility for proper installation and evaluation of jobsite conditions.

PREMIERWALL



2023-2027

 Stay Connected - www.goodrichglobal.com | info@goodrichglobal.com

 f
 /Goodrich.Global.Singapore

 j
 /goodrich_global

 j
 /GoodrichGlobal

 j
 /goodrichglobal

 j
 /GoodrichGlobal

Jgoodrichglobal

SINGAPORE [HQ] I MALAYSIA I THAILAND I VIETNAM I MYANMAR I INDIA I INDONESIA I UNITED ARAB EMIRATES I PHILIPPINES I CHINA I HONG KONG (CHINA)

Copyright © 2023 Goodrich Global. All rights reserved.